Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	54	Jumping Beans	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 06:58
L2	24375	(replac\$4 or remov\$4 or swap\$4) same (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:00
L3	11621	(replac\$4 or remov\$4 or swap\$4) with (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:03
L4	11427	((client near2 server) or (hub near2 spoke)) (architecture or design or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:05
L5	672	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:07
L6	409	(trusted or secur\$4) and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:08
L7		(trusted or secur\$4) same 3 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:11
L8	. 354	replac\$4 with (safe or trusted or secure) with (code or executable or software or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:50

······································		<del></del>	1	1	<u> </u>	
L9	49	restor\$4 with (safe or trusted or secure) with (code or executable or software or program) same (database or codebase or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:51
L11	34	"6065039"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:54
L19	1035	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:17
L20	265	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4) same (original or trusted or secure or safe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:18
L21	300	726/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:01
L22	13	726/30.ccls. and (replac\$4 or remo\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:03
L23	7	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:06

5/8/2007 2:03:23 PM C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10686886.wsp Page 2

L24	20186	(replac\$4 or remov\$4 or restor\$4	US-PGPUB;	ADJ	ON	2007/05/08 09:17
		or swap\$4) and (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L25	222181	"726".clas. or "713".clas. or "380". clas. or "709".clas. or "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:14
L26	8506	24 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:14
L27	38759	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:15
L28	848	26 and L27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:15
L29	6603	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:20
L30	279	28 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:19

<del> </del>		<u> </u>		100000	•	
L31	2730	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) same (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:21
L32	144	25 and 27 and 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:25
S1	36	("5633932" "5850516" "5850517"  "5963731" "5968176" "5974549"  "6009456" "6065118" "6141327"  "6173405" "6189103" "6192354"  "6233601" "6272528" "6308181"  "6539416" "6615232" "6622157" ).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 06:55
S2	7466	(jumping or mobile) (application or app or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 13:57
S3		("5633932" "5850516" "5850517"  "5963731" "5968176" "5974549"  "6009456" "6065118" "6141327"  "6173405" "6189103" "6192354"  "6233601" "6272528" "6308181"  "6539416" "6615232" "6622157" ).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 13:57
<b>S4</b>	25504	(secur\$3 or trust\$3 or authoriz\$4) (code or app or application or software or job or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 13:59
S5	323	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 14:00

S6	35351	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 14:01
S7		S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:38
S8	0	("2001/0051515").URPN.	USPAT	ADJ	ON	2007/01/05 14:03
<b>S9</b>	32869	(mobile or executable or jump\$) adj (code or software or document or application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/01/10 08:00
S10	1	("6622157").PN.	US-PGPUB; USPAT	OR	OFF	2007/01/10 08:03
S11	5441	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:03
S12	5704	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:03
S13	2634	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:03
S14	2403	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:04

5/8/2007 2:03:23 PM C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10686886.wsp Page 5

<del></del>			<del></del>	1	1	· ·
S15	3264	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:04
S16	15746	S10 or S11 or S12 or S13 or S14 or S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:04
S17	3031	(remove\$3 or replac\$3 or strip\$4 or eliminate) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:39
S18		S16 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:44
S19	35383	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:29
S20	· 360	S16 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:45
S21	13016	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:30
S23	35436	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:30

5/8/2007 2:03:23 PM C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10686886.wsp Page 6

S24	1037	S21 and S23	US-PGPUB;	ADJ	ON	2007/01/11 10:31
324		321 and 323	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			2007/01/11 10:31
S25	468	S24 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:31
S26	1	10/686886	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/04 17:47
S27	1	10/686897	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 14:11
S28	31585	(jumping or mobile or intelligent or autonomous) near2 (application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:33
S29	38713	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:14
S30	1658	security and ((replace or remove or swap) same (code or malicious or virus) same (server or database or codebase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 17:49
S31	207	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:18

S32	6	09/591034	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	ADJ	ON	2007/05/07 18:18
S33	39	"5787427"	IBM_TDB  US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	ADJ	ON	2007/05/07 18:31
<b>S34</b>	39	"5787427"	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:32
S35	2634	replac\$4 with (code or program) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:34
S36	193	S29 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:38
S37	0	replac\$4 with ((mailicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:35
S38	8	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:35
S39	145	replace with code with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:40

S40	0	replace same (untrusted or malicious or suspicious) (code or program) same (secure or trusted or protected) same (database or server or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:41
S41	81	replace same (malicious or untrusted or suspicious) same (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:42

5/8/2007 2:03:23 PM C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10686886.wsp